

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	329	(tatsuya near2 igarashi).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/07 16:40
S2	33	(norifumi near2 kikkawa).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/07 16:45
S3	124	(yoichi near2 kobori).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/07 16:46
S4	97	(takehiko near2 morita).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/07 16:47
S5	90	(yasuaki near2 honda).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/07 16:48
S6	2042	(koichi near2 tanaka).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/07 16:48
S7	328912	sony.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/07 16:51
S8	8690	(709/226 709/229 709/225 715/739 711/205).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/07 17:00

S9	1	("2003124939").pn.	JPO	OR	OFF	2007/11/07 17:03
S10	2	("3123137" "2001320373" "10271154").pn.	JPO	OR	OFF	2007/11/07 17:04
S11	5	("3123137" "2001320373" "10271154").pn.	JPO; DERWENT	OR	OFF	2007/11/07 17:08
S12	2	("2003124939").pn.	JPO; DERWENT	OR	OFF	2007/11/07 17:08
S13	1	"3123137"	JPO; DERWENT	OR	OFF	2007/11/07 17:22
S14	20513	((limit\$3 restrict\$3 lessen reduc\$3 block\$3 reject\$3 deny\$3 refus\$3 manag\$3 control\$4 monitor\$3) near4 (access acceptance)) same ((address identif\$3) with (list register\$3 table))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 18:11
S15	3018	((limit\$3 restrict\$3 block\$3 reject\$3 deny\$3 refus\$3 manag\$3 control\$4 monitor \$3) with network with access) same ((address identif\$3) with (list register \$3 table))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 18:13
S16	1433	((limit\$3 restrict\$3 block\$3 reject\$3 deny\$3 refus\$3 manag\$3 control\$4 monitor \$3) with (network near4 access)) same ((address identif\$3) with (list register \$3 table))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 18:17
S17	1043	((limit\$3 restrict\$3 block\$3 reject\$3 deny\$3 refus\$3 manag\$3 control\$4 monitor \$3) with (network near4 access)) same ((address identif\$3) with (list table))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 18:18
S18	97	((limit\$3 restrict\$3 block\$3 reject\$3 deny\$3 refus\$3 manag\$3 control\$4 monitor \$3) with (network near3 access)) same ((MAC adj (address identif\$3)) with (list table))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 09:30
S19	50	S18 and @ad<="20030516"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 09:31

S20	330	((register\$3 assign\$3) near3 address) with (list table) with (request\$3 access \$3)) same (mode setting)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 11:43
S21	16	((register\$3 assign\$3) near3 address\$2) with (list table) with (request\$3 access \$3)) same (mode setting) same ((limit\$3 predetermined finite particular reserved precise maximum controlled established fixed specific defined definite definitive) with (number amount) with address\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:09
S22	8	S21 and @ad<="20030516"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:10
S23	105	((register\$3 assign\$3) near3 address\$2) with (list table) with (request\$3 access \$3)) same ((limit\$3 predetermined finite particular reserved precise maximum controlled established fixed specific defined definite definitive) with (number amount) with address\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:18
S24	89	S23 not S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:20
S25	64	S24 and @ad<="20030516"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:20
S26	270	(automatic\$4 autonomous \$2) same (manual\$2) same ((register\$3 assign\$3) near3 address) same (mode setting)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 16:39

S27	47	S26 and (network with access)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 16:40
S28	21	S27 and @ad<="20030516"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 16:40
S29	541	((register\$3 assign\$3 subscrib\$3) with address with (table list register)) and ((automatic\$4 autonomous \$2) with (manually personal \$4) with (mode setting configuration))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 17:45
S30	532	S29 not S27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 17:46
S31	39	((register\$3 assign\$3 subscrib\$3) with address with (table list register)) same ((automatic\$4 autonomous\$2) with (manually personal\$4) with (mode setting configuration))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 17:47
S32	35	S31 not S27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 17:48
S33	19	S32 and @ad<="20030516"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 17:48
S34	7	((register\$3 assign\$3 subscrib\$3) and address with (table list)) and ((automatic\$4 autonomous \$2) and (manually personal \$4) and (mode setting configuration))) .ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 17:57

S35	4	S34 and @ad<="20030516"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 17:59
S36	8734	((register\$3 assign\$3) and address and (table list)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 18:02
S37	667	((register\$3 assign\$3) and address and (table list) and (automatic\$4 autonomous \$2)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 18:03
S38	124	((register\$3 assign\$3) and address and (table list) and (automatic\$4 autonomous \$2) and (mode setting)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 18:03
S39	4	((register\$3 assign\$3) and address and (table list) and (automatic\$4 autonomous \$2) and (mode setting) and manually).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 18:03
S40	77	((register\$3 assign\$3) and address and (table list) and (automatic\$4 autonomous \$2) and (mode setting) and (network access device)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 18:04
S41	82	((register\$3 assign\$3) and address and (table list) and (automatic\$4 autonomous \$2) and (mode setting) and (network request access device)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 18:04
S42	62	S41 and @ad<="20030516"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 18:05
S43	2	"6098116".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/13 11:25

S44	75	(mode setting preference) same (automatic\$4 autonomous\$2 mechanical \$2) same (manual\$2 predefin\$3 custom\$4) same (register\$3 assign\$3 subscrib \$3 input\$4 add\$3) same (address with (list table)) same (distinguish\$4 mark\$3 label\$2 identified identifiable detect determin\$4 recogniz \$4 specif\$3 (tell adj apart))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 12:55
S45	30	S44 and @ad<="20030516"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 12:56
S46	161	((mode setting preference alternativ\$2) with (request \$3 client access\$3) with (install\$3 receiv\$3 permit\$4 register\$3 assign\$3 subscrib \$3 input\$4 add\$3)) same ((address near\$3 (list table)) with (distinguish\$4 mark\$3 label\$2 identified identifiable detect determin\$4 recogniz \$4 specif\$3 (tell adj apart)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 16:15
S47	86	S46 and @ad<="20030516"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 16:17
S48	83	S47 not S45	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 16:18
S49	40	S48 and address.ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 16:32

S50	153	(http soap) and ((human input\$3 manual\$2 personally add\$3) with (automatic\$4 autonomous\$2 intelligent\$2 autogenetic\$4 habitual\$2 involuntar\$3 mechanical\$2 routine\$2 computeriz\$3 self) with (address near3 (list table)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 11:23
S51	22	@ad<="20030516" and (http soap) and ((human input\$3 manual\$2 personally add\$3) with (automatic\$4 autonomous\$2 intelligent\$2 autogenetic\$4 habitual\$2 involuntar\$3 mechanical\$2 routine\$2 computeriz\$3 self) with (address near3 (list table)) with (distinguish\$4 mark\$3 label\$2 identified identifiable detect determin \$4 recogniz\$4 specif\$3 (tell adj apart)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 11:25
S52	30	@ad<="20030516" and (http soap) and ((human input\$3 manual\$2 personally add\$3) with (automatic\$4 autonomous\$2 intelligent\$2 autogenetic\$4 habitual\$2 involuntar\$3 mechanical\$2 routine\$2 computeriz\$3 self) with (distinguish\$4 mark\$3 label\$2 identified identifiable detect determin\$4 recogniz \$4 specif\$3 (tell adj apart))) same ((identifier address) near3 (list table))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:33
S53	8	S52 not S51	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:35
S54	140	@ad<="20030516" and (http soap) and ((limit\$3 restrict\$3 constrict\$3 defin \$3 specif\$4 decreas\$3 diminish\$3 narrow\$3 discourag\$3 eliminat\$3 reduc \$3 refus\$3 deny\$3 denied preclud\$3 prevent\$3 segregat\$3 curb confin\$3 lessen\$3) near3 (access\$3 request\$3 client input\$3) with (address near3 (list table)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:53

S55	140	S54 not S51	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:58
S56	140	S54 not S52	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:58
S57	0	S56 and (((register\$3 assign \$3 enter\$3 subscrib\$3 record \$3 add added adding log logg\$3) with (address near3 (list table))) same ((distinguish\$4 mark\$3 label \$2 identified identifiable detect determin\$4 recogniz \$4 specif\$3 (tell adj apart)) with manual\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 14:05
S58	65	S56 and ((register\$3 assign \$3 enter\$3 subscrib\$3 record \$3 add added adding log logg\$3) with (address near3 (list table)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 14:07
S59	7	@ad<="20030516" and (http soap) and (((register\$3 assign\$3 enter\$3 subscrib\$3 record\$3 add added adding log logg\$3) with (address near3 (list table))) same ((distinguish\$4 mark\$3 label \$2 identified identifiable detect determin\$4 recogniz \$4 specif\$3 (tell adj apart)) with manual\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 14:07
S60	72	(S58 S59)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 14:12
S61	71	S60 not (S51 S52)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 14:13



S62	3	"2001053791".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/14 15:05
S63	322	(manag\$3 monitor\$3 regulat \$3 control\$4) near5 ((MAC adj address\$2) near3 (table list))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 16:37
S64	2	S63 same ((distinguish\$4 mark\$3 label\$2 identified identifiable detect determin \$4 recogniz\$4 specif\$3 (tell adj apart)) with manual\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 16:40
S65	125	S63 same (distinguish\$4 mark\$3 label\$2 identified identifiable detect determin \$4 recogniz\$4 specif\$3 (tell adj apart))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 16:41
S66	134	S63 same (distinguish\$4 mark\$3 label\$2 identif\$3 classif\$3 classification categoriz\$3 identifiable detect determin\$4 recogniz \$4 specif\$3 (tell adj apart))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 16:42
S67	112	S63 same ((distinguish\$4 mark\$3 label\$2 identif\$3 classif\$3 classification categoriz\$3 identifiable detect determin\$4 recogniz \$4 specif\$3 (tell adj apart)) with (address\$2 entry entries entered client preferred manual\$2 temporar \$3 select\$2 requestor predetermined subscrib\$3 assignment assign\$3 register \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 16:45
S68	45	S67 and @ad<="20030516"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 16:46
S69	45	S68 not (S51 S52 S60)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 17:03

S70	0	@ad<="20030516" and (http soap) and ((MAC adj (identifier address)) same ((distinguish\$4 mark marker marking label\$2 identif\$3 classif\$3 classification categoriz\$3 identifiable detect determin\$4 recogniz \$4 specif\$3 (tell adj apart)) with (automatic\$4 autonomous\$2 intelligent\$2 autogenetic\$4 habitual\$2 involuntar\$3 mechanical\$2 routine\$2 computeriz\$3 self) with ((identifier address) near3 (list table))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 17:46
S71	26	@ad<="20030516" and ((MAC adj (identifier address)) same ((distinguish \$4 mark marker marking label\$2 identif\$3 classif\$3 classification categoriz\$3 identifiable detect determin \$4 recogniz\$4 specif\$3 (tell adj apart)) with (automatic \$4 autonomous\$2 intelligent \$2 autogenetic\$4 habitual\$2 involuntar\$3 mechanical\$2 routine\$2 computeriz\$3 self) with ((identifier address) near3 (list table))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 17:48
S72	2	@ad<="20030516" and ((MAC adj (identifier address)) same ((distinguish \$4 mark marker marking label\$2 identif\$3 classif\$3 classification categoriz\$3 identifiable detect determin \$4 recogniz\$4 specif\$3 (tell adj apart)) with (manual\$2) with ((identifier address) near3 (list table))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 17:49
S73	161	((mode setting preference alternativ\$2) with (request \$3 client access\$3) with (install\$3 receiv\$3 permit\$4 register\$3 assign\$3 subscrib \$3 input\$4 add\$3)) same ((address near3 (list table)) with (distinguish\$4 mark\$3 label\$2 identified identifiable detect determin\$4 recogniz \$4 specif\$3 (tell adj apart)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 17:52

S74	1	@ad<="20030516" and (manually with (register\$3 assign\$3 subscrib\$3 add\$3 configur\$3) with (mac adj (address identifier)) with (table list))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 18:16
S75	1	((http soap) with request with (mac adj address adj table))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 18:31
S76	1	((http soap) with request) same (request with (mac adj address adj table))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 18:32
S77	0	((http soap) with request) same (request with (mac adj address adj list))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 18:34
S78	4	((http soap) with request) and (mac adj address adj list)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 18:34

11/15/2007 11:27:28 AM

C:\Documents and Settings\mkhanna\My Documents\EAST\Workspaces\10521624.wsp